Subject Index for
Eurasian Soil Science, Volume 28, 1996

Acid atmospheric precipitation: **10**, 124–136
Acid-base regime: **10**, 111–123
Acid sulfate weathering: **10**, 226–234
Acid-treatment-caused property changes: **12**, 9–19
Active phase: **10**, 185–194
Activity of microorganisms: **1**, 49–58
Aggregate: **7**, 12–25
Agricultural ecosystems: **10**, 446–461
Agricultural lands: **11**, 64–74
Agricultural plants: **12**, 309–318
Agricultural soils: **9**, 62–72; **12**, 83–92
Agrochemicals: **12**, 305–308
Agroecological efficiency: **10**, 360–365
Agrophysical properties: **10**, 275–283
Agrophysical soil rating: **4**, 72–78
Akramov, Y.: **10**, 486–487
Alas-taiga soils: **10**, 208–216
Aliyev, G.A.: **10**, 480–481
Alkaline soils diagnostics: **2**, 23–33
Alkalinity: **2**, 23–33
Alluvial meadow soils: **12**, 119–130
Alluvial meadow soils fertility: **1**, 112–128
Altitude banding: **9**, 1–16
Altitude-banding types: **9**, 1–16
Amino acid: **11**, 196–201
Amino acid content: **11**, 196–201
Amorphous silica effect: **10**, 87–99
Amu Darya River delta: **10**, 265–274
Ancient weathering crusts: **7**, 126–138
Anniversary 100: **10**, 475–477
Anthropogenic influences: **4**, 15–29
Application of chemicals: **10**, 344–359
Arable steppe soils: **3**, 120–130
Aral Sea basin: **11**, 184–195
Arctic soil formation: **12**, 218–230
Areas of saline soils: **3**, 65–80
Arid territories: **2**, 23–33
Arinushkina, Ye.V.: **5**, 134
Arsenic: **9**, 144–150
Artificial soils: **11**, 256–261
Association activity: **10**, 486–487
Available nitrogen mobilization: **10**, 185–194
Available organic matter: **6**, 100–106

Bacterial-complex structure: **11**, 151–156
Balkas: **7**, 114–125
Bashkiria: **8**, 94–104
Behavior model in soils: **3**, 53–64
Biogeochemical approaches: **6**, 107–121
Biogeochemical features: **10**, 410–422
Biological-activity spatial pattern: **11**, 399–408
Biological availability change: **7**, 62–71
Biologically active substances: **10**, 100–110
Biomass: **1**, 41–48
Bioprotection: **4**, 30–39
Biosphere: **3**, 35–43
Birthday anniversary: **10**, 478–479; 486–487; 488–489
Black fallow: **11**, 131–141
Bogs of Russia: **2**, 91–105
Bog organic soils: **2**, 91–105
Book review: **8**, 131–133
Brownish-Podzolic gleyed soils: **7**, 36–46
Bryanskaya region: **9**, 121–132
Buffering capacity: **10**, 124–136

Cadmium transformation: **1**, 32–40
Cadmium transport: **1**, 32–40
Calculation model: **10**, 462–474
Carbon-cycling parameters: **3**, 44–52
Carbon labeling: **2**, 106–115
Cartographic-representation principles: **11**, 221–229
Cartography: **9**, 17–33
Cement-mill emission: **11**, 212–220
Central Ob River: **1**, 49–58
Central Russia: **1**, 112–128
Central Russian plain: **11**, 53–63
Central Siberian upland: **10**, 29–37
Central Volga: **11**, 38–52
Cesium-137 contamination: **11**, 64–74

Cesium-137: **7**, 62–71
Chemical plant vicinity: **9**, 133–143
Chemical properties: **6**, 67–77; **9**, 97–105
Cherepovets: **7**, 47–61
Chernobyl accident: **7**, 62–71
Chernozems: **2**, 34–42; 43–51; **8**, 13–23; 82–93; **10**, 168–174; **11**, 230–239
Chernozem soil: **12**, 157–164
Cis-Carpathians: **7**, 36–46
Ciscaucasus: **10**, 16–28
Cis-Urals: **11**, 38–52
Citizen: **2**, 4–7
Classification of soils: **11**, 273–275
Classification revision: **3**, 81–95
Clay-differentiated profile: **10**, 1–15
Clay minerals: **9**, 73–83; **12**, 231–247
Clay-minerals role: **11**, 178–183
Clay properties: **11**, 104–114
Coatings: **7**, 12–25
Comparative description: **5**, 48–64
Compiling map diagrams: **11**, 361–368
Composition evaluation: **4**, 106–119
Congress: **10**, 482–485
Conservation: **5**, 114–126
Construction ecological effects: **10**, 284–292
Contribution to vertic features: **12**, 231–247
Control levels: **11**, 64–74
Convergence stages: **11**, 15–24
Copper air pollution: **10**, 320–335
Copper distribution in soil: **11**, 93–103
Corn: **4**, 30–39
Countries adjacent to Russia: **11**, 329–336
Cover-loams genesis: **11**, 53–63
Cryogenic catenas: **11**, 128–130
Cryogenic fissures: **6**, 15–22
Cryogenic soils divergence rates: **10**, 146–153
Cryometamorphism: **7**, 12–25

Dagestan: **11**, 301–304
Danube province: **12**, 280–290
Dark Chestnut soil: **9**, 97–105; **10**, 100–110
Data analysis: **1**, 1–13
Data determination: **1**, 1–13
Deflation: **7**, 103–113
Degraded soils: **11**, 399–408
Delta ecosystems stability: **11**, 320–328
Dependence on geological factors: **12**, 297–304
Desorption isotherms: **10**, 366–373
Detoxification methods: **10**, 336–343
Developing saline soils: **2**, 77–90
Development of soil science: **11**, 283–289
Different soil types: **8**, 43–52
Digital processing: **10**, 16–28
Divergence stages: **11**, 15–24
Dnieper left-bank: **8**, 53–60
Dobrovol'skiy, G.V.: **11**, 276, 277–282; 283–289; 301–304
Dokuchaev Soil Institute: **10**, 475–477
Drainage: **6**, 67–77
Drainage effectiveness: **2**, 77–90
Drainage impact: **7**, 80–89
Drained peat soils: **10**, 156–167
Draining influence: **6**, 67–77
Droplets fall velocity impact: **12**, 291–296
Dry and desert steppe soils: **7**, 1–11
Dry-steppe zones: **10**, 16–28

Eastern Europe: **10**, 57–69
Ecological-approach development: **10**, 38–46
Ecological assessment: **8**, 61–72
Ecological problems: **3**, 96–107
Ecological regions: **6**, 107–121
Ecological requirements: **10**, 306–319
Ecologo-microbiological soil monitoring: **9**, 133–143
Ecosystems: **3**, 44–52; **10**, 208–216
Effect on humus: **10**, 100–110
Effect on net surface reflectivity: **10**, 168–174
Effect on soil and plants: **6**, 122–130
Elemental composition in plants: **11**, 230–239
Elements migration: **10**, 410–422
Elfin alder: **11**, 1–14
Eluvial horizon development in soils: **10**, 434–445
Environment changes: **12**, 61–72
Environmental biological assessment: **10**, 344–359
Environmental changes: **11**, 184–195
Environmental-factors impact: **10**, 175–184
Eolian material: **12**, 45–60
Equilibrium of mineralization–humification processes: **12**, 102–108

Erosion: **11**, 202–211
Erosion of soil: **12**, 291–296; 297–304
Erosion resistance: **7**, 114–125
Erosion resistance of soil: **8**, 24–27
Erosion resistance parameters: **10**, 374–382
Establishment of library: **10**, 475–477
European Russia: **11**, 349–360
Evaluation of respiration: **3**, 20–34
Example forecast: **10**, 57–69
Experimental assessment: **5**, 1–19
Experimental determination: **12**, 177–187

Fallout from Chernobyl: **7**, 26–35
FAO: **4**, 1–14
Far East southern area: **5**, 95–105
Fate of fungicide: **11**, 157–167
Feedback effects analysis: **3**, 44–52
Fertility: **5**, 114–126
Fertilization systems: **10**, 360–365
Fertilizer effect: **2**, 116–128
Fertilizer forms: **2**, 116–128
Fertilizers: **8**, 53–60
Fertilizer-system influence: **12**, 212–217
Field management: **6**, 67–77
Filtration properties: **5**, 106–113
Floodplains: **12**, 39–44
Floodplain soil: **1**, 49–58
Flow structures: **9**, 17–33
Fluoride contamination risk: **11**, 240–248
Forecasting problems: **2**, 34–42
Forecasting salinity regime: **12**, 257–266
Forecasting soil moisture phase composition: **12**, 131–145
Forecast of changes: **9**, 34–46
Forest biocenoses: **12**, 93–101
Forest biogeochemical functions: **11**, 262–265
Forest-cut areas: **10**, 146–153
Forest litters: **10**, 124–136
Forest shelter belt: **11**, 202–211
Forest soil: **10**, 146–153; **11**, 212–220; **12**, 45–60
Forest Steppe: **9**, 47–61
Forest-Steppe soils: **10**, 111–123
Forest-Steppe zone: **10**, 374–382; **12**, 119–130
Forest-steppe region: **8**, 53–60
Formation-conditions indicators: **6**, 1–14
Formal presentation: **4**, 59–71
Founding centennial: **12**, 319–329
Fractions: **7**, 26–35
Freeze depth of soil: **11**, 115–127
Freezing effects: **11**, 104–114
Fridland, V.M.: **11**, 273–275
Frozen peat soil: **12**, 131–145
Frozen soils: **11**, 142–150
Fungal biomass: **8**, 43–52
Fungicide: **11**, 157–167

Gas-line construction: **10**, 284–292
Genesis of soils: **11**, 273–275
Geochemical basic features: **12**, 218–230
Geochemistry of Arctic soil: **12**, 218–230
Geographer: **10**, 480–481
Geographic-distribution patterns: **9**, 34–46
Geographic generalization: **11**, 329–336
Geography of saline soils: **3**, 65–80
Geological forms of soil: **9**, 17–33
Geomorphological differentiation: **11**, 53–63
Gilgai soil microcomplex: **12**, 20–38
Global climatic warming: **10**, 57–69
Global map compilation: **6**, 107–121
Global selenium dispersion: **11**, 305–319
Grain crops: **8**, 129–130
Gray Forest soil: **2**, 106–115; **8**, 94–104; 105–114
Growth stimulator: **4**, 30–39
Gully slopes: **10**, 396–409
Gusinoozerskii depression: **11**, 249–255
Gypsum application: **6**, 131–142

Harvest yield: **8**, 129–130
Heat-regime prediction: **11**, 115–127
Heat-regime taxonomic rating: **11**, 128–130
Heavy metals: **4**, 30–39; **10**, 336–343
Heavy metals accumulation: **12**, 309–318
Heavy metals mobile forms: **9**, 47–61
Heavy rain: **10**, 168–174
Heavy-metals inactivation: **1**, 96–105
Holocene evolution: **5**, 20–32
Holocene second half: **12**, 61–72
Humic acids: **5**, 48–64
Humic acids composition: **5**, 48–64
Humic acids properties: **5**, 48–64
Humous components turnover: **2**, 106–115
Humous content: **11**, 349–360

Humous state: **12**, 119–130
Humus: **1**, 96–105; **8**, 129–130
Humus losses: **4**, 40–53
Humus type: **11**, 361–368
Humus-formation model: **10**, 446–461
Hydraulic parameters: **12**, 177–187
Hydraulic properties: **11**, 369–380
Hydraulic properties changes: **12**, 157–164
Hydrochemical parameters: **12**, 177–187
Hydromorphism: **10**, 47–56
Hydrophysical characteristics: **4**, 59–71
Hydrotechnical devices: **11**, 202–211
Hydrothermic gradients in soils: **10**, 146–153
Hydrothermic regime: **11**, 369–380
Hypothetical model: **10**, 434–445

Identification of saline soils: **3**, 65–80
Illuvial-ferruginous podzols: **12**, 9–19
Impact on fertility: **8**, 94–104
Industrial effluence: **6**, 122–130
Industrially contaminated soil: **1**, 96–105
Industrial-pollution influence: **11**, 93–103
Industry-caused soil changes: **10**, 293–305
Infiltrate composition: **2**, 116–128
Intensity of CO_2 emission: **1**, 59–69
Intensive irrigation: **11**, 320–328
Interaction of soil components: **9**, 151–161
Ion-exchange methods: **8**, 36–42
Iron compounds: **7**, 36–46
Iron–manganese nodules: **7**, 80–89
Iron minerals: **11**, 168–177
Iron oxide formation: **6**, 23–41
Irrigated agriculture: **2**, 77–90
Irrigated agroecosystem: **12**, 102–108
Irrigated chernozems: **12**, 280–290
Irrigated zone: **10**, 265–274
Irrigation-caused change: **10**, 275–283
Irrigation consequences: **2**, 34–42
Irrigation effects: **8**, 82–93
Irrigation impact: **2**, 52–76; **9**, 97–105
Irrigation of chernozems: **2**, 43–51
Irrigation water quality: **10**, 306–319

Joint action of erosion and deflation: **7**, 103–113

Kaluga Oblast: **11**, 64–74
Kamchatka: **11**, 1–14
Kashmir: **4**, 120–138
Kirgizskiy ridge northern slope: **11**, 337–348
Kola Peninsula: **10**, 410–422; **12**, 188–203
Komi Republic: **10**, 293–305
Koshelev volcano: **11**, 1–14
Kovda, V.A.: **2**, 1; 2–3; 4–7; **11**, 268–269; 270–272
Kundinskaya depression: **10**, 284–292
Kurum soils: **10**, 70–86
Kuybyshevskoye Reservoir: **12**, 267–279

Land-use conditions: **9**, 106–120
Latvian soils: **8**, 123–128
Leached chernozem: **12**, 109–118
Lead transformation: **1**, 32–40
Lead transport: **1**, 32–40
Lena–Amga interfluve: **10**, 208–216
Lena–Angara plateau soils: **10**, 284–292
Lithogenic base: **4**, 106–119
Lithuania: **11**, 212–220
Local moraines: **6**, 23–41
Long-term humification: **2**, 106–115
Long-term use effects: **8**, 53–60
Low-bog peat soil containing iron: **10**, 366–373
Lower Volga basin: **8**, 73–81
Low moor: **12**, 204–211
Low-sodium solonetz soils: **11**, 178–183

Macrostructure: **8**, 82–93
Makeyev, O.V.: **10**, 488–489
Mali soils: **11**, 168–177
Man-induced fertility changes: **1**, 112–128
Mathematical models: **3**, 44–52; **12**, 177–187
Meadow steppe: **12**, 157–164
Mean annual soil losses: **9**, 106–120
Mekong Valley: **10**, 235–250
Memory block: **9**, 73–83
Mesofauna: **10**, 208–216
Metabolic quotient: **4**, 86–95
Metallurgical plant: **7**, 47–61
Meteorological conditions: **8**, 115–122
Methodology of soil rating: **9**, 84–96
Microaggregate formation mechanisms: **8**, 13–23
Microbe community: **4**, 86–95
Microbial population assessment: **6**, 100–106

Microbiological decline: **9**, 62–72
Microflora: **12**, 188–203
Micromorphological parameter variability: **12**, 165–176
Micromycetes population: **4**, 96–105
Microorganism biomass: **1**, 49–58
Microorganism biomass distribution: **5**, 85–94
Microorganism population distribution: **5**, 85–94
Microorganisms: **11**, 142–150
Microscopic fungi: **1**, 41–48
Microscopic soil fungi: **5**, 73–84
Middle Volga: **9**, 47–61
Mineral composition: **8**, 53–60
Mineral nitrogen: **3**, 53–64
Mineral parts of peats: **11**, 75–81
Mineral soil components: **9**, 151–161
Mineral transformation: **10**, 47–56
Mineralogical composition: **10**, 235–250
Mineralogy: **10**, 251–264
Minimal tillage: **4**, 79–85
Mobility estimation methods: **10**, 137–145
Modeling agricultural crop yield: **12**, 280–290
Modern scientific theories: **7**, 126–138
Modern state of soil science: **11**, 283–289
Moisture conductivity: **4**, 59–71
Moisture dynamics: **12**, 20–38
Moisture effect: **12**, 146–156
Moisture regime of peat soils: **10**, 156–167
Mongolia: **11**, 369–380
Morpholithopedogenesis: **11**, 25–37
Morphological features: **12**, 20–38
Morphostructural classification approach: **11**, 381–398
Moscow Agricultural Academy: **12**, 319–329
Moscow Oblast: **11**, 240–248
Mountain soil formation: **9**, 1–16
Mountain soil-formation trends: **9**, 1–16
Mountainous soils: **11**, 337–348
Multivariate regression analysis: **9**, 47–61
Multizonal information: **10**, 16–28

Natural changes: **4**, 15–29
Natural conditions: **9**, 106–120
Natural ecosystems: **10**, 446–461
Natural fertility: **9**, 62–72
Natural selenium: **11**, 305–319
Natural soils: **7**, 72–79
Neotectonics: **11**, 25–37
New soil map: **4**, 1–14
Nickel air pollution: **10**, 320–335
Nickel in soils: **11**, 82–92
Ninetieth anniversary: **2**, 4–7
Nitrification inhibition: **12**, 204–211
Nitrification intensity: **12**, 204–211
Nitrifying activity: **5**, 73–84
Nitrogen immobilization transformations: **8**, 105–114
Nitrogen mobilization transformations: **8**, 105–114
Nitrous-oxide reduction: **10**, 175–184
Northern Dagestan rangelands: **11**, 399–408
Northern distribution limits: **11**, 262–265
Northern Karelian soils: **10**, 226–234
Northwestern Siberia: **7**, 12–25

Ob plateau: **10**, 111–123
Obukhov, A.I.: **5**, 137–138
Oil: **4**, 96–105
Oil shales: **5**, 48–64
Oil soils: **5**, 48–64
Optimizing physical conditions: **12**, 1–8
Ordinary Chernozem: **10**, 100–110; **10**, 275–283
Organic carbon losses: **12**, 83–92
Organic-carbon storage: **3**, 1–19
Organic fertilizers: **8**, 94–104
Organic matter: **11**, 337–348
Organic matter in soils: **8**, 28–35
Organic matter mineralization: **10**, 185–194
Organic-matter role: **11**, 75–81
Organic soil components: **9**, 151–161
Oribatid mites: **1**, 70–78
Orthophosphate sorption: **6**, 54–66
Overgrowing of gully slopes: **10**, 396–409
Oxadixyl: **11**, 157–167

Paddy soil: **10**, 235–250
Paleohydromorphism: **2**, 8–22
Paramagnetic activity: **4**, 30–39
Peat bogs: **10**, 462–474; **11**, 115–127
Peat carbon pool: **2**, 91–105
Peat soil: **12**, 204–211
Pedagogical activity: **10**, 486–487

Pedogenic aspects: **9**, 34–46
Pedogenic differentiation: **10**, 1–15
Permian redbeds: **11**, 38–52
Peroxidase: **12**, 93–101
Petroleum products: **4**, 96–105
Phosphate ion sorption: **10**, 366–373
Physicochemical conditions: **5**, 33–47
Physicochemical properties: **11**, 212–220
Physiological activity: **4**, 30–39
Phytolith analysis use: **12**, 248–256
Phytosystem formation: **10**, 70–86
Phytosystem role: **10**, 70–86
Phytotoxicity: **5**, 73–84
Pine forests: **2**, 116–128; **10**, 320–335; 410–422
Plant protection: **8**, 61–72
Plant residues: **2**, 106–115
Plastic strength: **6**, 90–99
Plowing effects: **8**, 82–93
Plowlands: **9**, 106–120
Podzolic Al-Fe humus soils acidity: **10**, 320–335
Pogodina, G.S.: **5**, 133
Polluted areas: **9**, 121–132
Polluted soils: **10**, 336–343
Pollution influence: **4**, 96–105
Polyphenoloxidase: **12**, 93–101
Pontic-Danubian facies: **2**, 43–51
Pore space: **12**, 165–176
Povolzh'ye: **8**, 73–81
Practical measures: **12**, 1–8
Pristine spruce forests: **11**, 151–156
Production plants: **3**, 35–43
Profile development: **12**, 157–164
Prognostic air–water regime: **4**, 72–78
Prognostic-map compilation: **11**, 240–248
Properties evaluation: **4**, 106–119
Protozoa: **10**, 217–225
Public service: **2**, 2–3
Pulp and paper mill: **6**, 122–130
Pyrophosphate sorption: **6**, 54–66

Quality scale: **3**, 120–130

Radioactive-cesium sorption: **11**, 75–81
Radioactive fallout: **10**, 383–395
Radionuclide distribution: **7**, 26–35
Radionuclides availability to plants: **8**, 36–42
Radionuclides investigation: **8**, 36–42
Radionuclides migration rates: **9**, 121–132
Radionuclides mobility: **8**, 36–42
Rain erosion forecast: **7**, 90–102
Rain-fed farming: **8**, 115–122
Reclamation: **3**, 96–107
Reclamation problems: **11**, 184–195
Red Book planning: **7**, 72–79
Red ferralitic soils: **4**, 54–58
Reflectivity of upper horizons: **11**, 349–360
Regional environmental monitoring: **9**, 144–150
Relief: **1**, 106–112
Research development: **9**, 151–161
Retesting: **5**, 65–72
Rice cultivation: **11**, 320–328
Risk of selenium accumulation: **11**, 305–319
Rocket-fuel components behavior: **1**, 79–95
Rocket-fuel components in plants: **1**, 79–95
Rocket-fuel components in soil: **1**, 79–95
Rocket-fuel components in water: **1**, 79–95
Rogovoy, P.P.: **10**, 478–479
Root decomposition: **11**, 256–261
Root development: **11**, 256–261
Rostov Province: **4**, 40–53
Rubilin, Prof. Ye.V.: **5**, 127
Runoff: **12**, 291–296
Runoff evaluation: **3**, 108–119
Russia: **1**, 14–31; **3**, 65–80; 81–95; **4**, 1–14; **7**, 72–79; **11**, 15–24
Russian Federation soils: **3**, 1–19
Russian Plain: **5**, 20–32
Russian plain soils: **2**, 8–22
Russian soils: **3**, 20–34
Ruts made by agricultural machinery: **3**, 108–119

Sadimenko, P.A.: **8**, 134–135
Saffron growth: **4**, 120–138
Saline lands: **3**, 96–107
Saline soils: **3**, 65–80
Saline soils classification: **3**, 81–95
Samara: **11**, 196–201
Sand introduction methods: **10**, 156–167
Sandy-soil distribution: **1**, 14–31
Sandy-soil genesis: **1**, 14–31
Sandy-soil properties: **1**, 14–31
Scientific activity: **2**, 2–3; **10**, 486–487

Scientist: **2**, 4–7
Seasonal dynamics of CO_2 emission: **1**, 59–69
Secondary salinization: **12**, 267–279
Sediments of soil: **10**, 462–474
Sediments: **11**, 115–127
Selectivity coefficients: **6**, 42–53
Selectivity values: **6**, 42–53
Selenga River: **6**, 122–130
Semiarid territories: **2**, 23–33
Shtina, E.A.: **11**, 266–267
Siberian soils: **1**, 59–69; 70–78; **10**, 195–207; 217–225
Slope Chernozem: **5**, 114–126
Small rivers: **12**, 39–44
Small-scale map of Russia: **11**, 329–336
Sod-alluvial soils: **7**, 114–125
Sod-Podzolic arable horizon: **6**, 90–99
Sod-Podzolic heavy clayey-loam soil: **8**, 61–72
Sod-Podzolic soil: **1**, 32–40; **7**, 26–35; **12**, 109–118; 93–101
Sod-Podzolic Weakly Gleyic soils: **6**, 67–77
Sod-podzolic soil properties: **10**, 87–99
Soil agricultural load: **11**, 221–229
Soil alteration: **10**, 265–274
Soil anisotropy: **6**, 15–22
Soil approaches: **6**, 107–121
Soil biology commission: **10**, 482–485
Soil biotesting: **6**, 100–106
Soil carbonates: **6**, 1–14
Soil changes: **12**, 61–72
Soil classification evolution: **11**, 15–24
Soil conservation: **5**, 106–113
Soil cover: **5**, 20–32
Soil environment: **2**, 34–42
Soil erosion: **3**, 108–119
Soil erosion changes: **10**, 396–409
Soil erosion model calibration: **10**, 383–395
Soil evolution: **5**, 1–19
Soil fertility: **1**, 106–112; **3**, 35–43
Soil formation: **5**, 95–105; **7**, 126–138; **9**, 1–16
Soil formation patterns: **10**, 29–37
Soil genesis: **11**, 38–52
Soil geochemical regionalization: **6**, 78–89
Soil geological survey: **7**, 126–138
Soil humic acids: **4**, 30–39
Soil losses: **7**, 103–113
Soil mantle interpretation: **10**, 16–28
Soil map of Russia: **12**, 73–82
Soil masses: **5**, 65–72
Soil maximal adsorption of Cd^{2+}: **6**, 42–53
Soil maximal adsorption of Pb^{2+}: **6**, 42–53
Soil moisture: **12**, 131–145
Soil moisture reserves: **11**, 131–141
Soil moisture transfer: **12**, 177–187
Soil organic compounds: **6**, 54–66
Soil organic profiles: **11**, 381–398
Soil particle distribution: **7**, 26–35
Soil phosphates: **10**, 137–145
Soil productivity: **12**, 1–8
Soil properties: **4**, 120–138; **11**, 104–114
Soil proteolytic activity: **12**, 212–217
Soil rating: **9**, 84–96
Soil reclamation: **8**, 73–81
Soil reclamation problems: **8**, 1–12
Soil respiration: **3**, 20–34
Soil salt transfer: **12**, 177–187
Soil science: **10**, 38–46; **12**, 248–256
Soil Science and Agriculture Department: **12**, 319–329
Soil science development: **12**, 319–329
Soil science structural approach: **10**, 423–433
Soil scientist: **10**, 480–481
Soil solution composition processes: **9**, 73–83
Soil stability environmental criterion: **12**, 102–108
Soil structors: **12**, 305–308
Soil thermal conductivity: **12**, 146–156
Soil transitional horizons: **10**, 1–15
Soil types: **10**, 175–184
Soil water reserves: **10**, 57–69
Soil waters: **6**, 67–77
Soils evaluation: **11**, 249–255
Soils of Dagestan: **11**, 301–304
Soils of mountainous European countries: **4**, 15–29
Soils of Siberia: **1**, 41–48
Soils of southern regions: **11**, 349–360
Solid phase of soils: **1**, 1–13
Solid-phase density: **1**, 1–13
Solonetz process: **7**, 1–11
Solonetz soils: **12**, 257–266
Solonetz-soils genesis: **11**, 178–183

Solonetzic complex: **8**, 115–122
Solonetzic process development: **5**, 33–47
Solonetzic soils reclamation: **6**, 131–142
Solutions to soil-reclamation problems: **8**, 1–12
Southern Ukraine: **12**, 39–44
Southern Ural Mountains: **12**, 45–60
Southern Urals: **12**, 257–266
Space-time principles of development: **7**, 1–11
Species composition: **4**, 96–105
Specific soil-surface area computing: **10**, 154–155
Spruce forests: **10**, 410–422
Stable carbon isotopes: **6**, 1–14
Stable oxygen isotopes: **6**, 1–14
State of iron: **4**, 54–58
State standard examples: **5**, 65–72
Statistical evaluation: **4**, 120–138
Status of iron: **11**, 168–177
Stavropol region: **10**, 251–264; **12**, 231–247
Steppe Pre-Urals area: **12**, 61–72
Steppe zones: **10**, 16–28
Stony soils: **10**, 70–86
Structural state of soil: **8**, 24–27
Structural-functional analysis: **12**, 20–38
Sulfide deposits dumps: **5**, 95–105
Sulfur air pollution: **10**, 320–335
Summer wheat yields: **8**, 115–122
Surface chemical properties: **11**, 104–114
Suspended profile: **10**, 70–86
Swell–shrink soils: **10**, 251–264
Szabolch, I., **5**, 128–129

Taiga-forest zone soils: **10**, 47–56
Taiga–Forest ecosystem: **8**, 28–35
Taiga zones: **10**, 293–305
Targul'yan, V.O.: **5**, 130–132
Teacher: **2**, 4–7
Teaching soil science: **11**, 290–300
Technogenic air pollution: **11**, 212–220
Technogenic selenium: **11**, 305–319
Technogeochemical anomaly: **7**, 47–61
Temperature of peat soils: **10**, 156–167
Temperature regime: **4**, 79–85
Thawing effects: **11**, 104–114
Thawing of soil: **10**, 462–474
Theoretical principles: **12**, 1–8
Theoretical problems of soil science: **12**, 330–332
Theory of soil rating: **9**, 84–96
Tian-Shan': **11**, 337–348
Timiryazev, K.A.: **12**, 319–329
Toxicity: **12**, 305–308
Trace elements: **8**, 123–128
Training soil scientists: **11**, 290–300
Trans-Volga area: **11**, 196–201
Trans-Volga semideserts: **11**, 131–141
Transbaikal region: **11**, 82–92
Transurals: **10**, 275–283
Tundra soils: **7**, 90–102; **12**, 188–203
Tundra zones: **10**, 293–305
Tundra-steppe soils: **7**, 12–25
Turf alluvial soils: **11**, 369–380
Turf-podzolic: **4**, 79–85
Turf-podzolic soils: **10**, 360–365; **11**, 157–167
Typic arable chernozem soil: **12**, 165–176
Typical Chernozem: **2**, 106–115; **8**, 53–60; **12**, 267–279

U.S. soil taxonomy system: **12**, 73–82
Ukraine: **8**, 53–60; **10**, 374–382
Underflooded zone: **12**, 267–279
United States: **11**, 15–24
Upper horizons: **12**, 109–118
Upper Kolyma basin: **11**, 142–150
Use of chemicals: **8**, 61–72

Vadyunina, A.F.: **5**, 135–136
Various soil types: **10**, 344–359
Vertic features development: **12**, 231–247
Vertic soils: **12**, 39–44
Vertical leaching: **12**, 109–118
Vertisols: **9**, 34–46
Vitim plateau: **11**, 128–130
Volcanic soils: **11**, 1–14
Voronezh district: **6**, 78–89

Waste-water irrigation: **11**, 249–255
Waste-water sludge application: **12**, 309–318
Water capacity: **4**, 59–71
Water-caused properties changes: **12**, 9–19
Water-erosion forecasting: **9**, 121–132
Water retention: **11**, 202–211

Water-soluble organic matter: **12**, 109–118
Water sorption: **11**, 202–211
Water vapor sorption isotherm: **10**, 154–155
Weathering: **7**, 126–138
Weathering crusts: **10**, 434–445
West Siberia: **12**, 83–92
West Siberian soils: **9**, 144–150
World ecosystems: **4**, 106–119

Yamal Peninsula: **7**, 90–102
Yemtsev: V.T.: **8**, 136–137

Zavolzh'ye semideserts: **8**, 115–122
Zeolites: **1**, 96–105
Zinc distribution in soil: **11**, 93–103
Zinc oxides transformation: **1**, 32–40
Zinc oxides transport: **1**, 32–40
Zinc transformation: **1**, 32–40
Zinc transport: **1**, 32–40
Zinc-level evaluation: **11**, 230–239
Zonal soil type profiles: **5**, 85–94
Zone of influence: **7**, 47–61
Zoobiota features: **10**, 195–207